

[Attachment] List of Plants and Areas Related with Sudden Oak Death

1. Plants

Any propagative materials such as nursery stocks (including root stocks), cuttings and scions, etc.(except seeds and fruits) and woods(including logs) with bark

| Host Plants | Associated Plants |
|--|--|
| <i>Acer macrophyllum</i> (Bigleaf maple), <i>Acer pseduoplatanus</i> (Planetree maple) <i>Adiantum aleuticum</i> (Western maidenhair fern), <i>Adiantum jordanii</i> (California maidenhair fern), <i>Aesculus californica</i> (California buckeye), <i>Aesculus hippocastanum</i> (Horse chestnut), <i>Arbutus menziesii</i> (Madrone), <i>Arctostaphylos manzanita</i> (Manzanita), <i>Calluna vulgaris</i> (Scotch heather), <i>Camellia</i> spp. (Camellia-all species, hybrids and cultivars), <i>Castanea sativa</i> (Sweet chestnut), <i>Cinnamomum camphora</i> (Camphor tree) <i>Fagus sylvatica</i> (European beech), <i>Frangula californica</i> (= <i>Rhamnus californica</i>) (California coffeeberry) <i>Frangula purshiana</i> (= <i>Rhamnus purshiana</i>) (Cascara), <i>Fraxinus excelsior</i> (European ash), <i>Griselinia littoralis</i> (Griselinia), <i>Hamamelis virginiana</i> (Witch hazel), <i>Heteromeles arbutifolia</i> (Toyon), <i>Kalmia</i> spp. (Mountain laurel-all species, hybrids and cultivars), <i>Laurus nobilis</i> (Bay laurel), <i>Lithocarpus densiflorus</i> (Tanoak), <i>Lonicera hispidula</i> (California honeysuckle), <i>Maianthemum racemosum</i> (= <i>Smilacina racemosa</i>) (False Solomon's seal), <i>Magnolia doltsopa</i> (= <i>Michelia doltsopa</i>) (Michelia) <i>Parrotia persica</i> (Persian ironwood), <i>Photinia fraseri</i> (Red tip photinia), <i>Pieris</i> spp. (Andromeda, Pieris-all species, hybrids and cultivars), <i>Pseudotsuga menziesii</i> var. <i>menziesii</i> (Douglas fir), <i>Quercus</i> spp., <i>Rhododendron</i> spp. (Rhododendron(including azalea)-all species), <i>Rosa gymnocarpa</i> (Wood rose), <i>Salix caprea</i> (Goat willow), <i>Sequoia sempervirens</i> (Coast redwood) <i>Syringa vulgaris</i> (Lilac), | <i>Abies concolor</i> (Whate fir), <i>Abies grandis</i> (Grand fir), <i>Abies magnifica</i> (Red fir), <i>Acer circinatum</i> (Vine maple), <i>Acer davidii</i> (Striped bark maple), <i>Acer laevigatum</i> (Evergreen maple), <i>Annona</i> spp., <i>Arbutus unedo</i> (Strawberry tree), <i>Arctostaphylos columbiana</i> (Manzanita), <i>Arctostaphylos uva-ursi</i> (Bearberry, Kinnikinnick), <i>Ardisia japonica</i> (Ardisia), <i>Berberis diversifolia</i> (= <i>Mahonia aquifolium</i>) (Oregon grape) <i>Calycanthus occidentalis</i> (Spicebush), <i>Castanopsis orthacantha</i> (Castanopsis), <i>Ceanothus thyrsiflorus</i> (Buleblossom), <i>Choisya chinensis</i> (Chinese redbud), <i>Choisya ternata</i> (Mexican-orange), <i>Cinnamomum</i> spp. (Camphor tree), <i>Clintonia andrewsiana</i> (Andrew's clintonia bead lily), <i>Cornus kousa</i> (Kousa dogwood), <i>Cornus kousa</i> × <i>C. capitata</i> (Cornus Norman Haddon), <i>Corylopsis spicata</i> (spike witch hazel) <i>Corylus cornuta</i> (California hazelnut), <i>Daphniphyllum glaucescens</i> , <i>Distylium</i> spp., <i>Drimys winteri</i> (Winter's bark), <i>Dryopteris arguta</i> (California wood fern), <i>Empetrum</i> spp., <i>Eucalyptus haemastoma</i> (Scribbly gum), <i>Euonymus kiautschovicus</i> (Spreading euonymus), <i>Frangula</i> spp., <i>Fraxinus latifolia</i> (Oregon ash), <i>Garry elliptica</i> (Silk tassel tree, coast silktassel), <i>Gaultheria shallon</i> (Salal, Oregon wintergreen), <i>Gaultheria procumbens</i> <i>Hamamelis mollis</i> (Chinese witch-hazel), <i>Hamamelis</i> × <i>intermedia</i> (H. mollis & H. japonica) (Hyrid witchhazel), <i>Ilex</i> spp., <i>Illicium parviflorum</i> (Yellow anise), <i>Larix kaempferi</i> (Japanese larch), <i>Leucothoe axillaris</i> (Fetter-bush, dog hobble), |

| | |
|---|--|
| <p><i>Taxus baccata</i> (European yew), <i>Trientalis latifolia</i> (Western starflower), <i>Umbellularia californica</i> (California bay laurel, pepperwood, Oregon myrtle), <i>Vaccinium ovatum</i> (Evergreen huckleberry), <i>Viburnum</i> spp. (Viburnum-all species, hybrids and cultivars)</p> | <p><i>Leucothoe fontanesiana</i> (Drooping leucothoe), <i>Lithocarpus glaber</i> (Japanese-oak), <i>Loropetalum chinense</i> (Loropetalum), <i>Manglietia</i> spp., <i>Magnolia cavalieri</i> (Michelia), <i>Magnolia denudata</i> (lily tree), <i>Magnolia grandiflora</i> (Southern magnolia), <i>Magnolia stellata</i> (Star magnolia), <i>Magnolia × loebneri</i> (Loebner magnolia), <i>Magnolia × soulangeana</i> (Saucer magnolia) <i>Magnolia denudata</i> × <i>salicifolia</i> (Magnolia), <i>Magnolia ernestii</i> (= <i>Michelia wilsonii</i>) (michelia), <i>Magnolia foveolata</i> (Michelia), <i>Magnolia figo</i> (Banana shrub) <i>Magnolia kobus</i> (Kobus magnolia), <i>Magnolia liliiflora</i> (= <i>M. quinquepetala</i>) (purple magnolia) <i>Magnolia maudiae</i> (= <i>Michelia maudiae</i>) (Michelia) <i>Magnolia salicifolia</i> (= <i>M. proctoriana</i>) (Anise magnolia) <i>Magnolia × thompsoniana</i> (<i>M. tripetala</i> × <i>M. virginiana</i>) (Magnolia), <i>Mahonia nervosa</i> (Creeping Oregon grape), <i>Molinadendron sinaloense</i>, <i>Nerium</i> spp., <i>Nothofagus oblique</i> (Southern or Roble beech), <i>Osmanthus decorus</i> (= <i>Phillyrea decora</i> = <i>P. vilmoriniana</i>) (Osmanthus), <i>Osmanthus delavayi</i> (Delavay tea olive) <i>Osmanthus fragrans</i> (Sweet olive), <i>Osmanthus heterophyllus</i> (Holly olive), <i>Osmorhiza berteroii</i> (Sweet Cicely), <i>Parakmeria</i> spp., <i>Physocarpus opulifolius</i> (Ninebark) <i>Pittosporum undulatum</i> (Victorian box), <i>Prunus laurocerasus</i> (English laurel, cherry laurel) <i>Prunus lusitanica</i> (Portuguese laurel cherry), <i>Pyracantha koidzumii</i> (Formosa firethorn), <i>Ribes laurifolium</i> (Bayleaf currant), <i>Rosa</i> spp., <i>Rubus spectabilis</i> (Salmonberry), <i>Schima</i> spp., <i>Taxus brevifolia</i> (Pacific yew), <i>Taxus × media</i>, <i>Torreya californica</i> (California nutmeg), <i>Toxicodendron diversilobum</i> (<i>Rhus diversiloba</i>) (Poison oak), <i>Trachelospermum jasminoides</i> (Star jasmine, Confederate jasmine), <i>Tsuga</i> spp., <i>Vaccinium myrtillus</i> (Bilberry), <i>Vaccinium vitis-idaea</i> (Cowberry, Lingon berry, Mountain cranberry), <i>Vancouveria planipetala</i> (Redwood ivy),</p> |
|---|--|

| | |
|--|--|
| | <i>Veronica spicata</i> Syn. <i>Pseudolysimachion spicatum</i> (Spiked speedwell) |
|--|--|

* Note: Blue bold lettering and underlined part means newly added plants.

2. Areas

| Prohibited Areas | Regulated Areas |
|--|--|
| Germany, the Netherlands, United Kingdom, Spain, Belgium, France, Sweden, Italy, Denmark, Norway, Ireland, Slovenia, Poland, Switzerland, Croatia, Czech Republic, Greece, Finland, Lithuania, Serbia and the United States (California State: Marin, Monterey, Napa, San Mateo, Santa Clara, Santa Cruz, Sonoma, Alameda, Solano, Mendocino, Humboldt, Contra Costa, Lake, San Francisco Counties; Oregon State: Curry County; New York State: Nassau County) | the United States (California, Oregon and Washington States excluding the prohibited area) |

3. Phytosanitary measures

- Importation of the host plants from the prohibited areas is prohibited.
- Additional declaration ("The shipment was inspected and found free of *Phytophthora ramorum*") on phytosanitary certificate is required for the importation of;
 - Host plants and/or associated plants from the regulated areas
 - Associated plants from the prohibited areas
- And in case of USA, the name of State and County is required on PC as additional