







CURRENT RESIDUE DEFINITION		Benfuracarb	Carbaryl (F)		Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)		Carbosulfan		Furathiocarb		Procymidone (R)		Profenofos (F)		
NEW PROPOSED RESIDUE DEFINITION		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbaryl (F)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Procymidone (R)		Profenofos (F)		
code	Commodities	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry ( <i>Lycium barbarum</i> and <i>L. chinense</i> ), tree tomato)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	10	10
0231020	Peppers (Chilli peppers)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant ( <i>S. macrocarpon</i> ))	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0231040	Okra (lady's fingers)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0231990	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0232000	(b) Cucurbits — edible peel	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0232010	Cucumbers	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0232020	Gherkins	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Courgettes (Summer squash, marrow ( <i>patisson</i> ), lauki ( <i>Lagenaria siceraria</i> ), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)														
0232030	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0232990	(c) Cucurbits-inedible peel	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0233000	Melons (Kiwano)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Pumpkins (Winter squash, marrow (late variety))														
0233020	Watermelons	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0233030	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0233990	(d) Sweet corn (Baby corn)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0234000	(e) Other fruiting vegetables	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0240000	(iv) Brassica vegetables	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0241000	(a) Flowering brassica	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)														
0241010	Cauliflower	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0241990	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0242000	(b) Head brassica	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0242010	Brussels sprouts	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)														
0242020	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0243000	(c) Leafy brassica	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsaï)														
0243010	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0243020	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0244000	(d) Kohlrabi	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0250000	(v) Leaf vegetables & fresh herbs														
	(a) Lettuce and other salad plants including Brassicaceae														
0251000	Lamb's lettuce (Italian corn salad)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251010	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos lettuce))	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251020		0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*

CURRENT RESIDUE DEFINITION		Benfuracarb	Carbaryl (F)		Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)		Carbosulfan		Furathiocarb		Procymidone (R)		Profenofos (F)		
NEW PROPOSED RESIDUE DEFINITION		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbaryl (F)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)		Procymidone (R)		Profenofos (F)		
code	Commodities	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251050	Land cress	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251060	Rocket, Rucola (Wild rocket (Diptaxis spp.))	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251070	Red mustard	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0251080	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0252000	(b) Spinach & similar (leaves)	0.02*	<b>0.005*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*	0.01*	0.01*
	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)	0.02*	<b>0.005*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*	0.01*	0.01*
0252010	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (Salsola soda))	0.02*	<b>0.005*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*	0.01*	0.01*
0252020	Beet leaves (chard) (Leaves of beetroot)	0.02*	<b>0.005*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*	0.01*	0.01*
0252030	Others	0.02*	<b>0.005*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*	0.01*	0.01*
	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.01*</b>	0.01*	<b>0.01*</b>	0.01*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*
0253000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.01*</b>	0.01*	<b>0.01*</b>	0.01*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*
0254000	(e) Witloof	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*	0.01*	0.01*
0255000	(f) Herbs	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256010	Chervil	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256020	Chives	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cисely and other Apiaceae leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256030	Parsley (leaves of root parsley)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256040	Sage (Winter savory, summer savory, Borago officinalis leaves)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256050	Rosemary	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05
0256060	Thyme (Marjoram, oregano)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	<b>0.02*</b>	0.02*	0.02*	0.05	0.05

CURRENT RESIDUE DEFINITION		Benfuracarb	Carbaryl (F)	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Carbosulfan	Furathiocarb	Procymidone (R)	Profenofos (F)					
NEW PROPOSED RESIDUE DEFINITION		Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbaryl (F)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Procymidone (R)	Profenofos (F)					
code	Commodities	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05	0.05
0256090	Bay leaves (laurel) (Lemon grass)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05	0.05
0256100	Tarragon (Hyssop)	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05	0.05
0256990	Others	0.05*	<b>0.02*</b>	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05	0.05
0260000	(vi) Legume vegetables (fresh)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260050	Lentils	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0260990	Others	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0270000	(vii) Stem vegetables (fresh)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270010	Asparagus	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270020	Cardoons ( <i>Borago officinalis</i> stems)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270030	Celery	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270040	Fennel	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270050	Globe artichokes (Banana flower)	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270060	Leek	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270070	Rhubarb	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270080	Bamboo shoots	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270090	Palm hearts	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0270990	Others	0.02*	<b>0.002*</b>	0.01*	0.01*	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	<b>0.002*</b>	0.01*	0.01*
0280000	(viii) Fungi	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0280990	Others	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0290000	(ix) Sea weeds	0.02*	<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
0300000	3. PULSES, DRY	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0300020	Lentils	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0300030	Peas (Chickpeas, field peas, chickling vetch)	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0300040	Lupins	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0300990	Others	0.02*	<b>0.005*</b>	0.05*	0.05*	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	<b>0.005*</b>	0.01*	0.01*
0400000	4. OILSEEDS AND OILFRUITS	0.05*								0.02*		0.02*	
0401000	(i) Oilseeds	0.05*		0.05*	0.05*					0.02*		0.02*	
0401010	Linseed	0.05*	<b>0.02*</b>	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
0401020	Peanuts	0.05*	<b>0.02*</b>	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
0401030	Poppy seed	0.05*	<b>0.02*</b>	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
0401040	Sesame seed	0.05*	<b>0.02*</b>	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
0401050	Sunflower seed	0.05*	<b>0.02*</b>	0.05*	0.05*	0.1	<b>0.02*</b>	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*







CURRENT RESIDUE DEFINITION	Benfuracarb	Carbaryl (F)	Carbofuran (sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	Carbosulfan	Furathiocarb	Procymidone (R)	Profenofos (F)						
NEW PROPOSED RESIDUE DEFINITION	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbaryl (F)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Carbofuran (sum of carbofuran, carbosulfan, benfuracarb and furathiocarb, expressed as carbofuran)	Procymidone (R)	Profenofos (F)						
code	Commodities	Current	New	Current	New	Current	New	Current	New	Current	New	Current	New
1030010	Chicken	0.02*	<b>0.01*</b>	0.05*	0.05*	0.01*	0.01*	0.05*	<b>0.01*</b>	0.01*	0.01*	0.02*	0.02*
1030020	Duck	0.02*	<b>0.01*</b>	0.05*	0.05*	0.01*	0.01*	0.05*	<b>0.01*</b>	0.01*	0.01*	0.02*	0.02*
1030030	Goose	0.02*	<b>0.01*</b>	0.05*	0.05*	0.01*	0.01*	0.05*	<b>0.01*</b>	0.01*	0.01*	0.02*	0.02*
1030040	Quail	0.02*	<b>0.01*</b>	0.05*	0.05*	0.01*	0.01*	0.05*	<b>0.01*</b>	0.01*	0.01*	0.02*	0.02*
1030990	Others	0.02*	<b>0.01*</b>	0.05*	0.05*	0.01*	0.01*	0.05*	<b>0.01*</b>	0.01*	0.01*	0.02*	0.02*
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey)) (v) Amphibians and reptiles (Frog legs, crocodiles)	0.02*	<b>0.05*</b>		<b>0.05*</b>	0.01*	<b>0.05*</b>		<b>0.05*</b>	0.01*	<b>0.05*</b>	0.01*	<b>0.05*</b>
1050000	(vi) Snails	0.02*	<b>0.01*</b>		<b>0.05*</b>	0.01*	0.01*		<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*
1060000	(vii) Other terrestrial animal products (Wild game)	0.02*	<b>0.01*</b>		<b>0.05*</b>	0.01*	0.01*		<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*
1070000		0.02*	<b>0.01*</b>		<b>0.05*</b>	0.01*	0.01*		<b>0.01*</b>	0.01*	0.01*	0.01*	0.01*

id	Substance	Code	Footnote
37	Carbaryl (F)		(F) = Fat soluble
185	Procymidone (R)		(R) = The residue definition differs for the following combinations pesticide-code number: Procymidone - code 1000000: Vinclozolin, iprodione, procymidone, sum of compounds and all metabolites containing
186	Profenofos (F)		(F) = Fat soluble
186		0231020	The following MRL applies to chilli peppers: 3 mg/kg.
186			Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256000	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256010	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256020	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256030	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256040	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186		0256050	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.

186	0256060	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0256070	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0256080	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0256090	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0256100	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0256990	Monitoring data carried out in 2012, show that residues of profenofos occur in rose petals. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in rose petals. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.
186	0631030	Monitoring data carried out in 2012, show that residues of profenofos occur in herbs. Further monitoring data is necessary to compare the evolution of the occurrence of profenofos in herbs. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by [Office of Publication: please insert date 2 years after publication], or, if that information is not submitted by that date, the lack of it.