

## Flufenacet

Commodity	MRL (draft) ppm	MRL (current) ppm
Wheat	● 0.5	1
Barley	○ 0.2	
Corn (maize, including pop corn and sweet corn)	0.05	0.05
Soybeans, dry	0.1	0.1
Potato	○ 0.1	
Tomato	○ 0.05	
Green soybeans	●	0.1
Sunflower seeds	○ 0.05	
Cattle, muscle	●	0.05
Pig, muscle	●	0.05
Other terrestrial mammals <sup>1</sup> , muscle	●	0.05
Cattle, fat	●	0.05
Pig, fat	●	0.05
Other terrestrial mammals, fat	●	0.05
Cattle, liver	●	0.1
Pig, liver	●	0.1
Other terrestrial mammals, liver	●	0.1
Cattle, kidney	●	0.5
Pig, kidney	●	0.5
Other terrestrial mammals, kidney	●	0.5
Cattle, edible offal <sup>2</sup>	●	0.1
Pig, edible offal	●	0.1
Other terrestrial mammals, edible offal	●	0.1

● : Commodities for which MRLs were lowered

○ : Commodities for which MRLs were increased

\* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

\* Shaded figures indicate provisional MRLs.

Note: The residue definition:

The sum of flufenacet and metabolites W and P1, expressed as flufenacet.

Metabolite W is [(4-fluorophenyl)(1-methylethyl)amino]oxoacetic acid

Metabolite P1 is [(4-fluorophenyl)(1-methylethyl)acetoamido]-2-sulfinyl acetic acid

1. "Other terrestrial mammals" refers to all terrestrial mammals, except cattle and pig.

2. "Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney