

Annex

Standards for Pesticide Residue Limits in Foods (Amendment part)

Article 3

Appendix Table 1

Pesticide Residue Limits in Foods

| Pesticide Name | Crop Category | Maximum Residue Limit (ppm) | Remark |
|-----------------------------|---|------------------------------------|-------------------------|
| <u>1-methylcyclopropene</u> | <u>Persimmon</u> | <u>0.01</u> | <u>Growth regulator</u> |
| <u>1-methylcyclopropene</u> | <u>Pear</u> | <u>0.01</u> | <u>Growth regulator</u> |
| <u>1-methylcyclopropene</u> | <u>Apple</u> | <u>0.01</u> | <u>Growth regulator</u> |
| <u>Abamectin</u> | <u>Cherry</u> | <u>0.09</u> | <u>Insecticide</u> |
| <u>Acequinocyl</u> | <u>Jasmine</u> | <u>10</u> | <u>Acaricide</u> |
| <u>Acetamiprid</u> | <u>Cruciferous leaf vegetables with small leaves</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Cruciferous leaf vegetables with wrapped leaves</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Soybean</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Lentil (dry)</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Hairy uraria</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>White dutch runner bean (dry)</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Salsify leaf</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Rambutan</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Small red bean</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Tea seed</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Cowpea (dry)</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Artichoke</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Black salsify</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Peanut</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Mung bean</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Pigeon pea (dry)</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Woolly glycine</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Acetamiprid</u> | <u>Broad bean (dry)</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Acrinathrin</u> | <u>Jasmine</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Azoxystrobin</u> | <u>Other leaf vegetables with small leaves(except cos lettuce, leaf lettuce, celery, spring onion and green garlic)</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Azoxystrobin</u> | <u>Spring onion</u> | <u>5.0</u> | <u>Fungicide</u> |
| <u>Bifenazate</u> | <u>Jasmine</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Boscalid</u> | <u>Citrus fruit</u> | <u>5.0</u> | <u>Fungicide</u> |
| <u>Boscalid</u> | <u>Currant</u> | <u>4.0</u> | <u>Fungicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Citrus</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Potato</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Hops</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Hazelnut</u> | <u>0.1</u> | <u>Herbicide</u> |

| | | | |
|----------------------------|---|-------------|--------------------|
| <u>Carfentrazone-ethyl</u> | <u>Blueberry</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Raspberry</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Carfentrazone-ethyl</u> | <u>Cherry</u> | <u>0.1</u> | <u>Herbicide</u> |
| <u>Cartap</u> | <u>Jasmine</u> | <u>1.0</u> | <u>Insecticide</u> |
| Chlorantraniliprole | <u>Cruciferous leaf vegetables with small leaves</u> | 3.0 | Insecticide |
| Chlorantraniliprole | <u>Other cruciferous leaf vegetables with wrapped leaves(except broccoli)</u> | 2.0 | Insecticide |
| Chlorantraniliprole | <u>Strawberry</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Chlorantraniliprole</u> | <u>Radish</u> | <u>0.3</u> | <u>Insecticide</u> |
| <u>Chlorfenapyr</u> | <u>Jasmine</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Chlorothalonil</u> | <u>Ginseng (fresh)</u> | <u>1.5</u> | <u>Fungicide</u> |
| Chlorothalonil | <u>Cruciferous leaf vegetables with small leaves</u> | 5.0 | Fungicide |
| Chlorothalonil | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 5.0 | Fungicide |
| Chlorothalonil | <u>Large berries</u> | <u>0.5</u> | <u>Fungicide</u> |
| Chlorothalonil | <u>Other leaf vegetables with small leaves (except cruciferous leaf vegetables with small leaves)</u> | <u>2.0</u> | <u>Fungicide</u> |
| Chlorothalonil | <u>Other small berries(except blueberry)</u> | 0.7 | Fungicide |
| Chlorothalonil | <u>Other root, bulb and tuber vegetables(except ginseng)</u> | 0.5 | Fungicide |
| <u>Chlorothalonil</u> | <u>Blueberry</u> | <u>1.0</u> | <u>Fungicide</u> |
| Cyazofamid | <u>Cruciferous leaf vegetables with small leaves</u> | 1.0 | Fungicide |
| Cyazofamid | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 1.0 | Fungicide |
| <u>Cyazofamid</u> | <u>Chayote shoots</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cyfluthrin</u> | <u>Jasmine</u> | <u>5.0</u> | <u>Insecticide</u> |
| Cyhalothrin | Other root, bulb and tuber vegetables(except yam, burdock, sweet potato, taro, yam bean, onion, carrot, lili bulb, shallot bulb, potato, black salsify, garlic, cassava, scallion bulb and asparagus) | 0.01 | Insecticide |
| <u>Cyhalothrin</u> | <u>Black salsify</u> | <u>0.04</u> | <u>Insecticide</u> |
| Cymoxanil | <u>Cruciferous leaf vegetables with small leaves</u> | 1.0 | Fungicide |
| <u>Cymoxanil</u> | <u>Fireweed</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Burdock</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Gynura Oralis Hay</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Leaved chrysanthemum</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Salsify leaf</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Gynura's Deux Couleurs</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Garland chrysanthemum</u> | <u>1.0</u> | <u>Fungicide</u> |

| | | | |
|-----------------------|---|-------------|--------------------|
| <u>Cymoxanil</u> | <u>Black salsify</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Cymoxanil</u> | <u>Camphorweed</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Cyprodinil</u> | <u>Strawberry</u> | <u>5.0</u> | <u>Fungicide</u> |
| <u>Deltamethrin</u> | <u>Lentil (dry)</u> | <u>0.1</u> | <u>Insecticide</u> |
| Deltamethrin | Other root, bulb and tuber vegetables(except <u>burdock</u> , <u>bamboo shoot</u> , <u>onion</u> , <u>carrot</u> , <u>black salsify</u> , <u>radish</u>) | 0.01 | Insecticide |
| <u>Deltamethrin</u> | <u>White dutch runner bean (dry)</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Small red bean</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Tea seed</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Cowpea (dry)</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Black salsify</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Peanut</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Mung bean</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Pigeon pea (dry)</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Deltamethrin</u> | <u>Broad bean (dry)</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Difenoconazole</u> | <u>Citrus</u> | <u>0.6</u> | <u>Fungicide</u> |
| Difenoconazole | Other pome(except persimmon, <u>peach</u> , <u>pear</u> and <u>cherry</u>) | 0.5 | Fungicide |
| <u>Difenoconazole</u> | <u>Peach</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Difenoconazole</u> | <u>Pear</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Difenoconazole</u> | <u>Grapefruit</u> | <u>0.6</u> | <u>Fungicide</u> |
| <u>Difenoconazole</u> | <u>Lemon</u> | <u>0.6</u> | <u>Fungicide</u> |
| Dimethoate | <u>Cruciferous leaf vegetables with small leaves</u> | 0.1 | Insecticide |
| Dimethoate | <u>Cruciferous leaf vegetables with wrapped leaves</u> | <u>0.02</u> | Insecticide |
| Dimethomorph | <u>Cruciferous leaf vegetables with small leaves</u> | 2.5 | Fungicide |
| Dimethomorph | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 2.5 | Fungicide |
| Dimethomorph | Other small berries(except <u>strawberry</u> , <u>grape</u> and <u>wax apple</u>) | 1.0 | Fungicide |
| Dimethomorph | <u>Leaf lettuce</u> | <u>6.0</u> | <u>Fungicide</u> |
| Dimethomorph | <u>Cos lettuce</u> | <u>6.0</u> | <u>Fungicide</u> |
| <u>Dimethomorph</u> | <u>Salsify leaf</u> | <u>2.5</u> | <u>Fungicide</u> |
| <u>Dimethomorph</u> | <u>Artichoke</u> | <u>2.5</u> | <u>Fungicide</u> |
| <u>Dithianon</u> | <u>Pear</u> | <u>1.0</u> | <u>Fungicide</u> |
| <u>Ethiprole</u> | <u>Apple</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Etoxazole</u> | <u>Jasmine</u> | <u>5.0</u> | <u>Acaricide</u> |
| Fenazaquin | <u>Melons</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Melon vegetables</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Passion fruit</u> | <u>0.5</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Lycii fructus</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Pepino</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Tea seed</u> | <u>0.02</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Strawberry</u> | <u>0.1</u> | <u>Acaricide</u> |

| | | | |
|------------------------|-------------------------|-------------|--------------------|
| <u>Fenazaquin</u> | <u>Sweet pepper</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Tomato</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Avocado</u> | <u>0.5</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Hot pepper</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Ground cherry</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenazaquin</u> | <u>Tree tomato</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Fenpyroximate</u> | <u>Jasmine</u> | <u>5.0</u> | <u>Acaricide</u> |
| <u>Fenvalerate</u> | <u>Fennel leaves</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Melons</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Melon vegetables</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Lily</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Coriander leaves</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Daylily</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Roselle</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Okra</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Eggplant</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Pepino</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Sweet pepper</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Ginger lily</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Tomato</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Hot pepper</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Ground cherry</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Lotus</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Fenvalerate</u> | <u>Tree tomato</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Flazasulfuron</u> | <u>Citrus</u> | <u>0.2</u> | <u>Herbicide</u> |
| <u>Fluazinam</u> | <u>Hawthorn</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Fluazinam</u> | <u>Plum</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Fluazinam</u> | <u>Apricot</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Fluazinam</u> | <u>Quince</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Fluazinam</u> | <u>Cherry</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Flufenoxuron</u> | <u>Jasmine</u> | <u>15</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Soybean</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Barley</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Wheat</u> | <u>1.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Leaf lettuce</u> | <u>9.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cos lettuce</u> | <u>9.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Corn</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cabbage</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Almond</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Coffee bean</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cauliflower</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Celery</u> | <u>4.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Broccoli</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Citrus</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cantaloupe</u> | <u>0.4</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Pecan</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cucumber</u> | <u>0.4</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Carrot</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Summer squash</u> | <u>0.2</u> | <u>Insecticide</u> |

| | | | |
|------------------------|--------------------------------------|-------------|--------------------|
| <u>Flupyradifurone</u> | <u>Strawberry</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Potato</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Sorghum</u> | <u>1.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Hops</u> | <u>6.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Pear</u> | <u>0.6</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Sweet pepper</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Cottonseed</u> | <u>0.8</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Tomato</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Head lettuce</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Snap bean</u> | <u>1.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Spinach</u> | <u>9.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Lima bean</u> | <u>0.3</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Peanut</u> | <u>0.04</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Grape</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Hot pepper</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Pea (fresh)</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Pea (dry)</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Blueberry</u> | <u>4.0</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Apple</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Flupyradifurone</u> | <u>Radish</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Fluopyram</u> | <u>Papaya</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Pitaya</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Passion fruit</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Mango</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Rambutan</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Litchi</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Fig</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Guava</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Sweet sop</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Carambola</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Avocado</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Wax apple</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Fluopyram</u> | <u>Longan</u> | <u>0.8</u> | <u>Fungicide</u> |
| <u>Fluxapyroxad</u> | <u>Almond</u> | <u>0.05</u> | <u>Fungicide</u> |
| <u>Fluxapyroxad</u> | <u>Pecan</u> | <u>0.06</u> | <u>Fungicide</u> |
| <u>Formetanate</u> | <u>Soybean</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Lentil (dry)</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Geranium</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Melons</u> | <u>0.3</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Melon vegetables</u> | <u>0.3</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Lily</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>White dutch runner bean (dry)</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Calendula flower</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Chamomile</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Small red bean</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Sweet osmanthus</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Strawberry</u> | <u>0.4</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Cowpea (dry)</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Ginger lily</u> | <u>2.0</u> | <u>Acaricide</u> |

| | | | |
|----------------------------------|------------------------------|-------------|--------------------|
| <u>Formetanate</u> | <u>Guava</u> | <u>0.4</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Carambola</u> | <u>0.4</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Peanut</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Grape</u> | <u>0.4</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Mung bean</u> | <u>0.1</u> | <u>Acaricide</u> |
| Formetanate | Lotus seed | <u>0.1</u> | Acaricide |
| <u>Formetanate</u> | <u>Wax apple</u> | <u>0.4</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Night-blooming cereus</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Pigeon pea (dry)</u> | <u>0.1</u> | <u>Acaricide</u> |
| <u>Formetanate</u> | <u>Orchid</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Hexaconazole</u> | <u>Daylily</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Hawthorn</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Apricot</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Loquat</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Nectarine</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Carambola</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Quince</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Apple</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isoprothiolane</u> | <u>Cherry</u> | <u>0.1</u> | <u>Fungicide</u> |
| <u>Isopyrazam</u> | <u>Melons</u> | <u>0.2</u> | <u>Fungicide</u> |
| <u>Isopyrazam</u> | <u>Melon vegetables</u> | <u>0.2</u> | <u>Fungicide</u> |
| <u>Methiocarb</u> | <u>Jasmine</u> | <u>5.0</u> | <u>Insecticide</u> |
| <u>Milbemectin</u> | <u>Jasmine</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Omethoate</u> | <u>Small berries</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Omethoate</u> | <u>Citrus</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Omethoate</u> | <u>Litchi</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Omethoate</u> | <u>Longan</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Omethoate</u> | <u>Dry beans</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Omethoate</u> | <u>Pome</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Permethrin</u> | <u>Lily</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Permethrin</u> | <u>Glossogyne tenuifolia</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Permethrin</u> | <u>Chrysanthemum flower</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Procymidone</u> | <u>Sesame</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Procymidone</u> | <u>Tomato</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Profenophos</u> | <u>Glossogyne tenuifolia</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Lily</u> | <u>0.5</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Lili bulb</u> | <u>0.3</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Shallot bulb</u> | <u>0.3</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Daylily stem</u> | <u>0.3</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Chayote shoots</u> | <u>10.0</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Scallion bulb</u> | <u>0.3</u> | <u>Fungicide</u> |
| <u>Propamocarb hydrochloride</u> | <u>Scallion</u> | <u>10.0</u> | <u>Fungicide</u> |

| | | | |
|-----------------------|---|--------------|--------------------|
| Pyraclostrobin | <u>Other cruciferous leaf vegetables with small leaves(except leaf-mustard)</u> | 2.0 | Fungicide |
| Pyraclostrobin | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 2.0 | Fungicide |
| <u>Pyraclostrobin</u> | <u>Lily</u> | <u>5.0</u> | <u>Fungicide</u> |
| <u>Pyriproxyfen</u> | <u>Baby cucumber</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Pyriproxyfen</u> | <u>Jackfruit</u> | <u>0.01</u> | <u>Insecticide</u> |
| <u>Pyriproxyfen</u> | <u>Cucumber</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Pyriproxyfen</u> | <u>Chempedak</u> | <u>0.01</u> | <u>Insecticide</u> |
| <u>Pyriproxyfen</u> | <u>Chayote shoots</u> | <u>3.0</u> | <u>Insecticide</u> |
| Quinalphos | Leaf vegetables with small leaves | <u>0.03</u> | Insecticide |
| Quinalphos | Leaf vegetables with wrapped leaves | <u>0.03</u> | Insecticide |
| <u>Quinalphos</u> | <u>Melon vegetables</u> | <u>0.2</u> | <u>Insecticide</u> |
| Quinalphos | Rice | <u>0.05</u> | Insecticide |
| <u>Quinalphos</u> | <u>Peas and beans</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Quinalphos</u> | <u>Fruit vegetables</u> | <u>0.2</u> | <u>Insecticide</u> |
| Quinalphos | Root, bulb and tuber vegetables | <u>0.03</u> | Insecticide |
| <u>Quinalphos</u> | <u>Tea</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Quinalphos</u> | <u>Others (vegetables and fruits)*</u> | <u>0.01*</u> | <u>Insecticide</u> |
| <u>Quinalphos</u> | <u>Others (cereal grains)*</u> | <u>0.02*</u> | <u>Insecticide</u> |
| <u>Quinalphos</u> | <u>Others (tea)*</u> | <u>0.05*</u> | <u>Insecticide</u> |
| Spinetoram | <u>Cruciferous leaf vegetables with small leaves</u> | 2.0 | Insecticide |
| Spinetoram | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 2.0 | Insecticide |
| <u>Spinetoram</u> | <u>Lentil (dry)</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Fireweed</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Yam</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Leaf lettuce</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Burdock</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Cos lettuce</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Melons</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Melon vegetables</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Gynura Oralis Hay</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Lily</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Lilii bulbus</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Yam bean</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Hairy uraria</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Sesame</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>White dutch runner bean (dry)</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Leaved chrysanthemum</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Daylily</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Boxthorn leaf</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Salsify leaf</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Cantaloupe</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Okra</u> | <u>0.2</u> | <u>Insecticide</u> |

| | | | |
|----------------------|--|-------------|--------------------|
| <u>Spinetoram</u> | <u>Small red bean</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Gynura's Deux Couleurs</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Shallot bulb</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Cucumber</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Chinese chive</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Chive flower</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Leek sprout</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Shallot</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Garland chrysanthemum</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Strawberry</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Cowpea (dry)</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Artichoke</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Head lettuce</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Black salsify</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Leafy pea</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Daylily stem</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Green garlic</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Garlic</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Lotus seed</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Lotus</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Lotus root</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Pigeon pea (dry)</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Scallion bulb</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Chayote shoots</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Scallion</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Camphorweed</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Woolly glycine</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spinetoram</u> | <u>Asparagus</u> | <u>0.02</u> | <u>Insecticide</u> |
| <u>Spiromesifen</u> | <u>Strawberry</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Spirotetramat</u> | <u>Fruit vegetables</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Spirotetramat</u> | <u>Artichoke</u> | <u>1.0</u> | <u>Acaricide</u> |
| <u>Spirotetramat</u> | <u>Sweet pepper</u> | <u>1.0</u> | <u>Acaricide</u> |
| <u>Spirotetramat</u> | <u>Hot pepper</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Sulfoxaflor</u> | <u>Other cruciferous leaf vegetables with wrapped leaves(except cauliflower)</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Barley</u> | <u>0.6</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Wheat</u> | <u>0.2</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Leaf vegetables with small leaves</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Melons</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Melon vegetables</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Fruit vegetables</u> | <u>1.5</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Rapeseed</u> | <u>0.15</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Cauliflower</u> | <u>0.1</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Citrus</u> | <u>0.7</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Onion</u> | <u>0.01</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Carrot</u> | <u>0.05</u> | <u>Insecticide</u> |

| | | | |
|----------------------|---|-------------|--------------------|
| <u>Sulfoxaflor</u> | <u>Other root, bulb and tuber vegetables(except garlic, onion and carrot)</u> | <u>0.03</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Strawberry</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Other dry beans(except cottonseed and rapeseed)</u> | <u>0.3</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Artichoke</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Cottonseed</u> | <u>0.4</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Head lettuce</u> | <u>3.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Grape</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Raisin</u> | <u>6.0</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Garlic</u> | <u>0.01</u> | <u>Insecticide</u> |
| <u>Sulfoxaflor</u> | <u>Hot pepper (dry)</u> | <u>15</u> | <u>Insecticide</u> |
| <u>Tebufenozide</u> | <u>Yam bean</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Tebufenozide</u> | <u>Hairy uraria</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Tebufenozide</u> | <u>Woolly glycine</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Tebufenpyrad</u> | <u>Jasmine</u> | <u>2.0</u> | <u>Acaricide</u> |
| <u>Teflubenzuron</u> | <u>Soybean</u> | <u>0.05</u> | <u>Insecticide</u> |
| <u>Teflubenzuron</u> | <u>Corn</u> | <u>0.1</u> | <u>Insecticide</u> |
| Thiamethoxam | <u>Cruciferous leaf vegetables with small leaves</u> | 2.0 | Insecticide |
| Thiamethoxam | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 1.0 | Insecticide |
| Thiamethoxam | <u>Other leaf vegetables with small leaves(except leaf lettuce and cos lettuce)</u> | 2.0 | Insecticide |
| Thiamethoxam | <u>Leaf lettuce</u> | <u>3.0</u> | <u>Insecticide</u> |
| Thiamethoxam | <u>Cos lettuce</u> | <u>3.0</u> | <u>Insecticide</u> |
| Thiamethoxam | <u>Head lettuce</u> | <u>2.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Soybean</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Lentil (dry)</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Fennel leaves</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Lily</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Coriander leaves</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>White dutch runner bean (dry)</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Small red bean</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Cowpea (dry)</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Ginger lily</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Mung bean</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Lotus seed</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Lotus</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Thiodicarb</u> | <u>Pigeon pea (dry)</u> | <u>0.5</u> | <u>Insecticide</u> |
| Tolfenpyrad | <u>Cruciferous leaf vegetables with small leaves</u> | 0.5 | Insecticide |
| Tolfenpyrad | <u>Cruciferous leaf vegetables with wrapped leaves</u> | 0.5 | Insecticide |
| <u>Tolfenpyrad</u> | <u>Leaf lettuce</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Tolfenpyrad</u> | <u>Cos lettuce</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Tolfenpyrad</u> | <u>Nectarine</u> | <u>1.0</u> | <u>Insecticide</u> |

| | | | |
|------------------------|---------------------|------------|--------------------|
| <u>Tolfenpyrad</u> | <u>Citrus fruit</u> | <u>0.5</u> | <u>Insecticide</u> |
| <u>Tolfenpyrad</u> | <u>Peach</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Tolfenpyrad</u> | <u>Pear</u> | <u>1.0</u> | <u>Insecticide</u> |
| <u>Trifloxystrobin</u> | <u>Lily</u> | <u>0.3</u> | <u>Fungicide</u> |
| <u>Trifloxystrobin</u> | <u>Shallot</u> | <u>2.0</u> | <u>Fungicide</u> |
| <u>Trifloxystrobin</u> | <u>Scallion</u> | <u>2.0</u> | <u>Fungicide</u> |

Note6: MRLs for dimethoate are established for the sum of dimethoate and omethoate. The residue of omethoate shall also meet the MRLs for omethoate.

Article 6

Appendix Table 5

Classification of Crops for the Pesticide Residue Limits in Foods

| Group | Crop |
|-------------------|--|
| 14. Large berries | Banana, papaya, pineapple, kiwi fruit, sweet sop, avocado, pitaya, passion fruit, mangosteen, durian, rambutan, pomegranate, abiu, chempedak, <u>jackfruit</u> . |