



13 October 2014

(14-5801)

Page: 1/3

Committee on Sanitary and Phytosanitary Measures

Original: English

**NOTIFICATION**

<b>1. Notifying Member:</b> <u>BRAZIL</u> <b>If applicable, name of local government involved:</b>
<b>2. Agency responsible:</b> ANVISA - The Brazilian Health Surveillance Agency
<b>3. Products covered (provide tariff item number(s) as specified in national schedules deposited with the WTO; ICS numbers should be provided in addition, where applicable):</b> Post-emergency application in cultures of cotton (3.0mg/kg, safety security period to the culture of cotton is not determined when the pesticide is applied in post-emergency of the weeds and pre-emergency of the culture. The safety security period to the cultures of genetically modified cotton, which express resistance to the glyphosate, is of 130 days, when the pesticide is applied in post-emergency of the weeds and of the culture), plum (0.2mg/kg, safety security period of 17 days), rice (0.2mg/kg, safety security period not determined due to the mode of use), banana (0.02mg/kg, safety security period of 30 days), cocoa (0.1mg/kg, safety security period of 30 days), coffee (1.0mg/kg, safety security period of 15 days), sugarcane (1.0mg/kg, safety security period not determined due to the mode of use), citrus (0.2mg/kg, safety security period of 30 days), coconut (0.1mg/kg, safety security period of 15 days), eucalyptus (non-food use), bean (0.05mg/kg, safety security period not determined due to the mode of use), tobacco (non-food use), apple (0.2mg/kg, safety security period of 15 days), papaya (0.1mg/kg, safety security period of 3 days), corn (0.0mg/kg, safety security period to the culture of corn is not determined when the pesticide is applied in post-emergency of weeds and in pre-emergency of culture. The safety security period to the culture of genetically modified corn, which express resistance to the glyphosate, is of 90 days, when the pesticide is applied in post-emergency of weeds and culture), nectarine (0.2mg/kg, safety security period of 30 days), pasture (0.2mg/kg, safety security period not determined due to the mode of use), pear (0.2mg/kg, safety security period of 15 days), peach (0.2mg/kg, safety security period of 30 days), pinus (non-food use), rubber tree (non-food use), soy (10.0mg/kg, safety security period to the culture of soy is not determined when the pesticide is applied in post-emergency of weeds and in pre-emergency of culture. The safety security period to the culture of genetically modified soy, which express resistance to the glyphosate, is of 56 days, when the pesticide is applied in post-emergency of weeds and culture), wheat (0.05mg/kg, safety security period not determined due to the mode of use), grape (0.2mg/kg, safety security period of 17 days). Desiccant application in cultures of black oat (20.0mg/kg, safety security period of 4 days), ryegrass (10.0mg/kg, safety security period of 4 days), soy (10.0mg/kg, safety security period of 7 days). Maturator application in cultures of sugarcane (1.0mg/kg, safety security period of 30 days).
<b>4. Regions or countries likely to be affected, to the extent relevant or practicable:</b> <input checked="" type="checkbox"/> All trading partners <input type="checkbox"/> Specific regions or countries:

5.	<p><b>Title of the notified document:</b> Draft resolution regarding the active ingredient G01 - GLYPHOSATE of the monograph list of active ingredients for pesticides, household cleaning products and wood preservers, published by Resolution - RE N° 165 of 29 August 2003, Brazilian Official Gazette (DOU Diário Oficial da União) of 2 September 2003. <b>Language(s):</b> Portuguese <b>Number of pages:</b> 5</p> <p><a href="http://portal.anvisa.gov.br/wps/wcm/connect/1bd06d8045ac9dfda1aaafa9166895f7/Consulta+P%C3%BAblica+n%C2%B0+73+GGTOX+atual.pdf?MOD=AJPERES">http://portal.anvisa.gov.br/wps/wcm/connect/1bd06d8045ac9dfda1aaafa9166895f7/Consulta+P%C3%BAblica+n%C2%B0+73+GGTOX+atual.pdf?MOD=AJPERES</a></p>
6.	<p><b>Description of content:</b> Post-emergency application in cultures of cotton (3.0mg/kg, safety security period to the culture of cotton is not determined when the pesticide is applied in post-emergency of the weeds and pre-emergency of the culture. The safety security period to the cultures of genetically modified cotton, which express resistance to the glyphosate, is of 130 days, when the pesticide is applied in post-emergency of the weeds and of the culture), plum (0.2mg/kg, safety security period of 17 days), rice (0.2mg/kg, safety security period not determined due to the mode of use), banana (0.02mg/kg, safety security period of 30 days), cocoa (0.1mg/kg, safety security period of 30 days), coffee (1.0mg/kg, safety security period of 15 days), sugarcane (1.0mg/kg, safety security period not determined due to the mode of use), citrus (0.2mg/kg, safety security period of 30 days), coconut (0.1mg/kg, safety security period of 15 days), eucalyptus (non-food use), bean (0.05mg/kg, safety security period not determined due to the mode of use), tobacco (non-food use), apple (0.2mg/kg, safety security period of 15 days), papaya (0.1mg/kg, safety security period of 3 days), corn (0.1mg/kg, safety security period to the culture of corn is not determined when the pesticide is applied in post-emergency of weeds and in pre-emergency of culture. The safety security period to the culture of genetically modified corn, which express resistance to the glyphosate, is of 90 days, when the pesticide is applied in post-emergency of weeds and culture), nectarine (0.2mg/kg, safety security period of 30 days), pasture (0.2mg/kg, safety security period not determined due to the mode of use), pear (0.2mg/kg, safety security period of 15 days), peach (0.2mg/kg, safety security period of 30 days), pinus (non-food use), rubber tree (non-food use), soy (10.0mg/kg, safety security period to the culture of soy is not determined when the pesticide is applied in post-emergency of weeds and in pre-emergency of culture. The safety security period to the culture of genetically modified soy, which express resistance to the glyphosate, is of 56 days, when the pesticide is applied in post-emergency of weeds and culture), wheat (0.05mg/kg, safety security period not determined due to the mode of use), grape (0.2mg/kg, safety security period of 17 days). Desiccant application in cultures of Black oat (20.0mg/kg, safety security period of 4 days), ryegrass (10.0mg/kg, safety security period of 4 days), soy (10.0mg/kg, safety security period of 7 days). Maturator application in cultures of sugarcane (1.0mg/kg, safety security period of 30 days).</p>
7.	<p><b>Objective and rationale:</b> <input checked="" type="checkbox"/> food safety, <input type="checkbox"/> animal health, <input type="checkbox"/> plant protection, <input type="checkbox"/> protect humans from animal/plant pest or disease, <input type="checkbox"/> protect territory from other damage from pests.</p>
8.	<p><b>Is there a relevant international standard? If so, identify the standard:</b></p> <p><input type="checkbox"/> Codex Alimentarius Commission (e.g. title or serial number of Codex standard or related text)</p> <p><input type="checkbox"/> World Organization for Animal Health (OIE) (e.g. Terrestrial or Aquatic Animal Health Code, chapter number)</p> <p><input type="checkbox"/> International Plant Protection Convention (e.g. ISPM number)</p> <p><input checked="" type="checkbox"/> None</p> <p><b>Does this proposed regulation conform to the relevant international standard?</b>  <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><b>If no, describe, whenever possible, how and why it deviates from the international standard:</b></p>

9.	<b>Other relevant documents and language(s) in which these are available:</b> The Brazilian Official Journal (Diário Oficial da União), 1 October 2014, 189 <sup>th</sup> edition, Section 1, p. 52. Draft Resolution (Consulta Pública) number 73, 29 September 2014, issued by the Brazilian Health Surveillance Agency (ANVISA). When adopted, it will be published at the Brazilian Official Journal (available in Portuguese).
10.	<b>Proposed date of adoption (dd/mm/yy):</b> To be determined after the end of the consultation period.  <b>Proposed date of publication (dd/mm/yy):</b> To be determined after the end of the consultation period.
11.	<b>Proposed date of entry into force:</b> <input type="checkbox"/> Six months from date of publication, and/or (dd/mm/yy): To be determined after the end of the consultation period.  <input type="checkbox"/> Trade facilitating measure
12.	<b>Final date for comments:</b> <input type="checkbox"/> Sixty days from the date of circulation of the notification and/or (dd/mm/yy): 30 October 2014  <b>Agency or authority designated to handle comments:</b> <input type="checkbox"/> National Notification Authority, <input checked="" type="checkbox"/> National Enquiry Point. Address, fax number and e-mail address (if available) of other body:  Ana Paula S. J. da Silveira e Silva Tel: +(55 61) 3462 5402/5404/5406 E-mail: rel@anvisa.gov.br
13.	<b>Text(s) available from:</b> <input type="checkbox"/> National Notification Authority, <input checked="" type="checkbox"/> National Enquiry Point. Address, fax number and e-mail address (if available) of other body:  Ana Paula S. J. da Silveira e Silva Tel: +(55 61) 3462 5402/5404/5406 E-mail: rel@anvisa.gov.br