

11 June 2021

Original: English

(21-4805) Page: 1/1

Committee on Technical Barriers to Trade

Addendum

NOTIFICATION

The following communication, dated 10 June 2021, is being circulated at the request of the delegation of $\underline{\text{Brazil}}$.

Title: ANVISA RDC number 505, 27 May 2021

Reason for Addendum:	
[]	Comment period changed - date:
[]	Notified measure adopted - date:
[X]	Notified measure published - date: 31 May 2021
[X]	Notified measure enters into force - date: 1 July 2021
[]	Text of final measure available from ¹ :
[]	Notified measure withdrawn or revoked - date: Relevant symbol if measure re-notified:
[X]	Content or scope of notified measure changed and text available from¹: https://www.in.gov.br/web/dou/-/resolucao-rdc-n-505-de-27-de-maio-de-2021-323002775 http://antigo.anvisa.gov.br/documents/10181/6278627/RDC 505 2021 .pdf/43ac298 e-1ade-44f0-9f98-22f0b2477255 https://antigo.anvisa.gov.br/documents/10181/6278627/RDC 505 2021 .pdf/43ac298

Description: ANVISA issued Resolution RDC number 505, 27 May 2021, which establishes minimum requirements for the registration of an advanced therapy product, with a view to proving its effectiveness, safety and quality for use and commercialization in Brazil. Resolution RDC No. 383 of 20 February 2020 notified through G/TBT/N/BRA/911/Add.1 and Resolution RDC No. 363 of 01 April 2020, notified through G/TBT/N/BRA/911/Add.2 were revoked.

The final text is available only in Portuguese and can be downloaded at:

 $\frac{\text{http://antigo.anvisa.gov.br/documents/10181/6278627/RDC}}{44f0-9f98-22f0b2477255} = \frac{10181/6278627/RDC}{10181/6278627/RDC} = \frac{505}{2021} \cdot \frac{10181/6278627/RDC}{10181/6278627/RDC} = \frac{505}{2021} \cdot \frac{10181/6278627/RDC}{10181/6278627/RDC} = \frac{10181/627867/RDC}{10181/6278627/RDC} = \frac{10181/627867/RDC}{10181/627867/RDC} = \frac{10181/62787/RDC}$

 $^{^{1}}$ This information can be provided by including a website address, a pdf attachment, or other information on where the text of the final/modified measure and/or interpretive guidance can be obtained.